INDEX TO VOLUME 22—1980

Index to Authors and Contributors

Abbas, B.A.H. *see* Thomas, J.; Abbas, B.A.H.

Abu-Ghannam, B.J.; Shaw, R.
Natural transition of boundary layers - the effects of turbulence, pressure gradient, and flow history. *Vol. 22, No. 5, October 1980,*

Baker, R.C. *see* Goulas, A.; Baker, R.C.

Barber, J.R.
The rolling contact of misaligned elastic cylinders. *Vol. 22, No. 3, June 1980, 125*

Barber, J.R.
Some implications of Dundurs' theorem for thermoelastic contact and crack problems. *Vol. 22, No. 5, October 1980, 229*

Bert, C.W. *see* Reddy, J.N.; Bert, C.W.; Hsu, Y.S.; Reddy, V.S.

Bulman, D.N.; Maunder, L.
Dynamics of the dynatune gyroscope. *Vol. 22, No. 3, June 1980, 137*

Carter, A.D.S.
Wear out failure patterns and their interpretation. *Vol. 22, No. 3, June 1980, 143*

Chisholm, D.
Research notes: the turbulent flow of two-phase mixtures in horizontal pipes at low Reynolds number. *Vol. 22, No. 4, August 1980, 199*

Cole, B.N.; Parsons, B.
Effects of axial assembly stress in compound cylinders. *Vol. 22, No. 1, February 1980, 21*

Crichton, W.A.; McGeough, J.A.; Thomson, J.R.
Effects of cathode-mandrel surface irregularities on the mechanical properties and structure of electroformed iron foil. *Vol. 22, No. 2, April 1980, 49*

Cudworth, C.J.; Mykura, J.F.
Normal approach of a cylinder towards an elastic layer. *Vol. 22, No. 2, April 1980, 65*

Daly, K.J.; Smith, J.D.
Research note: Measurement with rotary gratings. *Vol. 22, No. 6, December 1980, 315*

Dias, F.M. *see* Morris, W.D.; Dias, F.M.

Dowson, D.; Smith, E.H.; Taylor, C.M.
An experimental study of hydrodynamic film-rupture in a steadily-loaded, non-conformal contact. *Vol. 22, No. 2, April 1980, 71*

Erens, P.J.; Kröger, D.G.
Measurement of sodium vapour pressure using sodium as manometer fluid. *Vol. 22, No. 3, June 1980, 157*

Etsion, I.
The effect of combined coning and waviness on the separating force in mechanical face seals. *Vol. 22, No. 2, April 1980, 59*

Fraser, S.M.; Siddig, M.H.
Turbulent flow over a plane normal wall. *Vol. 22, No. 4, August 1980, 207*

Ghannam, B.J. Abu- *see* Abu-Ghannam, B.J.; Shaw, R.

Gohar, R. *see* Mostofi, A.; Gohar, R.

Goulas, A.; Baker, R.C.
Flow in centrifugal compressor impellers: a hub-to-shroud solution. *Vol. 22, No. 1, February 1980, 1*

Green, A.; Whitelaw, J.A.
Measurements and calculations of the isothermal flow in axisymmetric models of combustor geometries. *Vol. 22, No. 3, June 1980, 119*

Greenstein, T.
Interaction and wall corrections for the slow motion of two fluid or solid particles parallel to the axis of a circular cylinder through a viscous fluid. *Vol. 22, No. 5, October 1980, 243*

Greitzer, E.M.; Hawthorne, W.R.
Generation of streamwise vorticity in an asymmetric swirling flow. *Vol. 22, No. 1, February 1980, 41*

Haines, R.S.
A theory of contact loss at revolute joints with clearance. *Vol. 22, No. 3, June 1980, 129*

Hawthorne, W.R. *see* Greitzer, E.M.; Hawthorne, W.R.

Hayashi, H.; Taylor, C.M.
A determination of cavitation interfaces in fluid film bearings using finite element analysis. *Vol. 22, No. 6, December 1980, 277*

Hinton, R.E.; Roberts, J.B.
The characteristics of a statically loaded journal-bearing with superlaminar flow. *Vol. 22, No. 2, April 1980, 79*

Holland, M.
Stress and displacement in internally pressurized thin prismatic ducts. *Vol. 22, No. 1, February 1980, 35*

Hooke, C.J.
The elastohydrodynamic lubrication of heavily loaded contact points. *Vol. 22, No. 4, August 1980, 183*

Horlock, J.H.
Choking effects in the blade rows of turbomachines. *Vol. 22, No. 4, August 1980, 161*

Howard, G.F. *see* Penny, J.E.T.; Howard, G.F.

Hsu, Y.S. *see* Reddy, J.N.; Bert, C.W.; Hsu, Y.S.; Reddy, V.S.

Ideriah, F.J.K.
An inertial relaxation method of curing numerical instability in prediction of flows influenced by severe body forces. *Vol. 22, No. 3, June 1980, 153*

Ideriah, F.J.K.
Prediction of turbulent cavity flow driven by buoyancy and shear. *Vol. 22, No. 6, December 1980, 287*

Jaini, C.K.C.; Rao, A.C.
Research notes: Optimization of a follower train for a two degree of freedom cam. *Vol. 22, No. 5, October 1980, 261*

Johnson, W.; Yu, T.X.
The angle of fold and the plastic work done in the folding of developable flat sheets of metal. *Vol. 22, No. 5, October 1980, 233*

Krishnan, V.
Dynamics of gyropendulum for small angles. *Vol. 22, No. 5, October 1980, 265*

Kröger, D.G. *see* Erens, P.J.; Kröger, D.G.

Kumar, D.S.; Kumar, K.L.
Effect of swirl on pressure recovery in annular diffusers. *Vol. 22, No. 6, December 1980, 305*

Kumar, K.L. *see* Kumar, D.S.; Kumar, K.L.

Lai, S.H.F.; McGeough, J.A.
Some effects of heat-treatment upon the mechanical properties of electroformed iron-nickel alloy film. *Vol. 22, No. 2, April 1980, 103*

Lewis, G.K. *see* Naaum, A.G.; Lewis, G.K.

McGeough, J.A. *see* Crichton, W.A.; McGeough, J.A.; Thomson, J.R.

McGeough, J.A. *see* Lai, S.H.F.; McGeough, J.A.

Majumdar, B.C.
Dynamic characteristics on aerostatic thrust bearings with porous inserts. *Vol. 22, No. 2, April 1980, 55*

Maunder, L. *see* Bulman, D.N.; Maunder, L.

Morris, W.D.; Dias, F.M.
Turbulent heat transfer in a revolving square-sectioned tube. *Vol. 22, No. 2, April 1980, 95*

Mostofi, A.; Gohar, R.
Pressure distribution between closely contacting surfaces. *Vol. 22, No. 5, October 1980, 251*

Mykura, J.F. *see* Cudworth, C.J.; Mykura, J.F.

Naaum, A.G.; Lewis, G.K.
The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. *Vol. 22, No. 4, August 1980, 203*

Parsons, B. *see* Cole, B.N.; Parsons, B.

Penny, J.E.T.; Howard, G.F.
Time-domain finite-element solutions for single-degree-of-freedom systems with time-dependent parameters. *Vol. 22, No. 1, February 1980,*

Railly, J.W. *see* Sharma, P.B.; Railly, J.W.

Rao, A.C. *see* Jaini, C.K.C.; Rao, A.C.

Reddy, J.N.; Bert, C.W.; Hsu, Y.S.; Reddy, V.S.
Thermal bending of thick rectangular

Reddy J.N. contd.
plates of bimodulus composite material. *Vol. 22, No. 6, December 1980, 297*

Reddy, V.S. *see* Reddy, J.N.; Bert, C.W.; Hsu, Y.S.; Reddy, V.S.

Roberts, J.B. *see* Hinton, R.E.; Roberts, J.B.

Ruskell, L.E.C.
A rapidly converging theoretical solution of the electrohydrodynamic problem for rectangular rubber seals. *Vol. 22, No. 1, February 1980, 9*

Safar, Z.S.
Thermal and inertia effects in turbulent-flow thrust bearings. *Vol. 22, No. 1, February 1980, 45*

Sexton, J.S.; Stone, B.J.
An investigation of the transient effects during variable speed cutting. *Vol. 22, No. 3, June 1980, 107*

Sharma, P.B.; Railly, J.W.
Dynamic total head loss characteristic for an axial compressor rotor. *Vol. 22, No. 6, December 1980, 269*

Shaw, R. *see* Abu-Ghannam, B.J.; Shaw, R.

Siddig, M.H. *see* Fraser, S.M.; Siddig, M.H.

Smith, E.H. *see* Dowson, D.; Smith, E.H.; Taylor, C.M.

Smith, J.D. *see* Daly, K.J.; Smith, J.D.

Stone, B.J. *see* Sexton, J.S.; Stone, B.J.

Stone, B.J. *see* Walford, T.L.H.; Stone, B.J.

Symonds, P.S.
Elastic, finite deflection and strain rate effects in a mode approximation technique for plastic deformation of pulse loaded structures. *Vol. 22, No. 4, August 1980, 189*

Taylor, C.M. *see* Dowson, D.; Smith, E.H.; Taylor, C.M.

Taylor, C.M. *see* Hayashi, H.; Taylor, C.M.

Thomas, J.; Abbas, B.A.H.
Dynamic stability of off-shore structures. *Vol. 22, No. 1, February 1980, 37*

Thomson, J.R. *see* Crichton, W.A.; McGeough, J.A.; Thomson, J.R.

Thorley, A.R.D.
Wave propagation in mixtures of solids and liquids. *Vol. 22, No. 1, February 1980, 17*

Walford, T.L.H.; Stone, B.J.
The measurement of the radial stiffness of rolling element bearings under oscillating conditions. *Vol. 22, No. 4, August 1980, 175*

Whitelaw, J.A. *see* Green, A.; Whitelaw, J.A.

Yu, T.X. *see* Johnson, W.; Yu, T.X.

Subject Index

Air flow
Turbulent flow over a plane normal wall. S.M. Fraser, M.H. Siddig. *Vol. 22, No. 4, August 1980, 207*

Alloys
Some effects of heat-treatment upon the mechanical properties of electroformed iron-nickel alloy film. S.H.F. Lai, J.A. McGeough. *Vol. 22, No. 2, April 1980, 103*

Annular flow
Effect of swirl on pressure recovery in annular diffusers. D.S. Kumar, K.L. Kumar. *Vol. 22, No. 6, December 1980, 305*

Axial properties
Effects of axial assembly stress in compound cylinders. B.N. Cole, B. Parsons. *Vol. 22, No. 1, February 1980, 21*

Dynamic total head loss characteristic for an axial compressor rotor. P.B. Sharma, J.W. Railly. *Vol. 22, No. 6, December 1980, 269*

Beams (supports)
Elastic, finite deflection and strain rate effects in a mode approximation technique for plastic deformation of

Beams (supports) contd.
pulse loaded structures. P.S. Symonds. *Vol. 22, No. 4, August 1980, 189*

Bearings
Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

Dynamic characteristics on aerostatic thrust bearings with porous inserts. B.C. Majumdar. *Vol. 22, No. 2, April 1980, 55*

The characteristics of a statically loaded journal-bearing with superlaminar flow. R.E. Hinton, J.B. Roberts. *Vol. 22, No. 2, April 1980, 79*

The measurement of the radial stiffness of rolling element bearings under oscillating conditions. T.L.H. Walford, B.J. Stone. *Vol. 22, No. 4, August 1980, 175*

The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. A.G. Naaum, G.K. Lewis. *Vol. 22, No. 4, August 1980, 203*

Bearings contd.
Communication - the effect of clearances on the dynamic analysis of planar mechanisms. *Vol. 22, No. 5, October 1980, 267*

A determination of cavitation interfaces in fluid film bearings using finite element analysis. H. Hayashi, C.M. Taylor. *Vol. 22, No. 6, December 1980, 277*

Blades
Choking effects in the blade rows of turbomachines. J.H. Horlock. *Vol. 22, No. 4, August 1980, 161*

Boundary layer
Natural transition of boundary layers - the effects of turbulence, pressure gradient, and flow history. B.J. Abu-Ghannam, R. Shaw. *Vol. 22, No. 5, October 1980, 213*

Cams
Research notes: Optimization of a follower train for a two degree of freedom cam. C.K.C. Jaini, A.C. Rao. *Vol. 22, No. 5, October 1980, 261*

Cavitation
A determination of cavitation interfaces in fluid film bearings using finite element analysis. H. Hayashi, C.M. Taylor. *Vol. 22, No. 6, December 1980, 277*

Prediction of turbulent cavity flow driven by buoyancy and shear. F.J.K. Ideriah. *Vol. 22, No. 6, December 1980, 287*

Centrifugal compressors
Flow in centrifugal compressor impellers: a hub-to-shroud solution. A. Goulas, R.C. Baker. *Vol. 22, No. 1, February 1980, 1*

Clearances
Communication - the effect of clearances on the dynamic analysis of planar mechanisms. *Vol. 22, No. 5, October 1980, 267*

Components
Wear out failure patterns and their interpretation. A.D.S. Carter. *Vol. 22, No. 3, June 1980, 143*

Compressors
Flow in centrifugal compressor impellers: a hub-to-shroud solution. A. Goulas, R.C. Baker. *Vol. 22, No. 1, February 1980, 1*

Dynamic total head loss characteristic for an axial compressor rotor. P.B. Sharma, J.W. Railly. *Vol. 22, No. 6, December 1980, 269*

Contact properties
An experimental study of hydrodynamic film-rupture in a steadily-loaded, non-conformal contact. D. Dowson, E.H. Smith, C.M. Taylor. *Vol. 22, No. 2, April 1980, 71*

The rolling contact of misaligned elastic cylinders. J.R. Barber. *Vol. 22, No. 3, June 1980, 125*

A theory of contact loss at revolute joints with clearance. R.S. Haines. *Vol. 22, No. 3, June 1980, 129*

The elastohydrodynamic lubrication of heavily loaded contact points. C.J. Hooke. *Vol. 22, No. 4, August 1980, 183*

Some implications of Dundurs' theorem for thermoelastic contact and crack problems. J.R. Barber. *Vol. 22, No. 5, October 1980, 229*

Pressure distribution between closely contacting surfaces. A. Mostofi, R. Gohar. *Vol. 22, No. 5, October 1980, 251*

Cracking (fracturing)
Some implications of Dundurs' theorem for thermoelastic contact and crack problems. J.R. Barber. *Vol. 22, No. 5, October 1980, 229*

Cutting
An investigation of the transient effects during variable speed cutting. J.S. Sexton, B.J. Stone. *Vol. 22, No. 3, June 1980, 107*

Cylinders
Effects of axial assembly stress in compound cylinders. B.N. Cole, B. Parsons. *Vol. 22, No. 1, February 1980, 21*

Normal approach of a cylinder towards an elastic layer. C.J. Cudworth, J.F. Mykura. *Vol. 22, No. 2, April 1980, 65*

The rolling contact of misaligned elastic cylinders. J.R. Barber. *Vol. 22, No. 3, June 1980, 125*

Ducts
Stress and displacement in internally pressurized thin prismatic ducts. M. Holland. *Vol. 22, No. 1, February 1980, 35*

Dynamics
Dynamic stability of off-shore structures. J. Thomas, B.A.H. Abbas. *Vol. 22, No. 1, February 1980, 37*

Elastic properties
A rapidly converging theoretical solution of the electrohydrodynamic problem for rectangular rubber seals. L.E.C. Ruskell. *Vol. 22, No. 1, February 1980, 9*

Elastic, finite deflection and strain rate effects in a mode approximation technique for plastic deformation of pulse loaded structures. P.S. Symonds. *Vol. 22, No. 4, August 1980, 189*

Electrodeposition
Effects of cathode-mandrel surface irregularities on the mechanical properties and structure of electroformed iron foil. W.A. Crichton, J.A. McGeough, J.R. Thomson. *Vol. 22, No. 2, April 1980, 49*

Some effects of heat-treatment upon the mechanical properties of electroformed iron-nickel alloy film. S.H.F. Lai, J.A. McGeough. *Vol. 22, No. 2, April 1980, 103*

Failure
Wear out failure patterns and their interpretation. A.D.S. Carter. *Vol. 22, No. 3, June 1980, 143*

Fatigue (materials)
Wear out failure patterns and their interpretation. A.D.S. Carter. *Vol. 22, No. 3, June 1980, 143*

Finite element analysis
Time-domain finite-element solutions for single-degree-of-freedom systems with time-dependent parameters. J.E.T. Penny, G.F. Howard. *Vol. 22, No. 1, February 1980,*

Flow
Flow in centrifugal compressor impellers: a hub-to-shroud solution. A. Goulas, R.C. Baker. *Vol. 22, No. 1, February 1980, 1*

Flow contd.
Wave propagation in mixtures of solids and liquids. A.R.D. Thorley. *Vol. 22, No. 1, February 1980, 17*

Generation of streamwise vorticity in an asymmetric swirling flow. E.M. Greitzer, W.R. Hawthorne. *Vol. 22, No. 1, February 1980, 41*

Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

The characteristics of a statically loaded journal-bearing with superlaminar flow. R.E. Hinton, J.B. Roberts. *Vol. 22, No. 2, April 1980, 79*

Measurements and calculations of the isothermal flow in axisymmetric models of combustor geometries. A. Green, J.A. Whitelaw. *Vol. 22, No. 3, June 1980, 119*

An inertial relaxation method of curing numerical instability in prediction of flows influenced by severe body forces. F.J.K. Ideriah. *Vol. 22, No. 3, June 1980, 153*

Research notes: the turbulent flow of two-phase mixtures in horizontal pipes at low Reynolds number. D. Chisholm. *Vol. 22, No. 4, August 1980, 199*

The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. A.G. Naaum, G.K. Lewis. *Vol. 22, No. 4, August 1980, 203*

Turbulent flow over a plane normal wall. S.M. Fraser, M.H. Siddig. *Vol. 22, No. 4, August 1980, 207*

Interaction and wall corrections for the slow motion of two fluid or solid particles parallel to the axis of a circular cylinder through a viscous fluid. T. Greenstein. *Vol. 22, No. 5, October 1980, 243*

Prediction of turbulent cavity flow driven by buoyancy and shear. F.J.K. Ideriah. *Vol. 22, No. 6, December 1980, 287*

Effect of swirl on pressure recovery in annular diffusers. D.S. Kumar, K.L. Kumar. *Vol. 22, No. 6, December 1980, 305*

Gas bearings
The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. A.G. Naaum, G.K. Lewis. *Vol. 22, No. 4, August 1980, 203*

Gears
Research note: Measurement with rotary gratings. K.J. Daly, J.D. Smith. *Vol. 22, No. 6, December 1980, 315*

Gratings
Research note: Measurement with rotary gratings. K.J. Daly, J.D. Smith. *Vol. 22, No. 6, December 1980, 315*

I Mech E INDEX

Gyroscopes
Dynamics of the dynatune gyroscope. D.N. Bulman, L. Maunder. *Vol. 22, No. 3, June 1980, 137*

Dynamics of gyropendulum for small angles. V. Krishnan. *Vol. 22, No. 5, October 1980, 265*

Heat transfer
Turbulent heat transfer in a revolving square-sectioned tube. W.D. Morris, F.M. Dias. *Vol. 22, No. 2, April 1980, 95*

Heat treatment
Some effects of heat-treatment upon the mechanical properties of electroformed iron-nickel alloy film. S.H.F. Lai, J.A. McGeough. *Vol. 22, No. 2, April 1980, 103*

Thermal bending of thick rectangular plates of bimodulus composite material. J.N. Reddy, C.W. Bert, Y.S. Hsu, V.S. Reddy. *Vol. 22, No. 6, December 1980, 297*

Impellers
Flow in centrifugal compressor impellers: a hub-to-shroud solution. A. Goulas, R.C. Baker. *Vol. 22, No. 1, February 1980, 1*

Inertia
Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. A.G. Naaum, G.K. Lewis. *Vol. 22, No. 4, August 1980, 203*

Iron
Effects of cathode-mandrel surface irregularities on the mechanical properties and structure of electroformed iron foil. W.A. Crichton, J.A. McGeough, J.R. Thomson. *Vol. 22, No. 2, April 1980, 49*

Joints (junctions)
A theory of contact loss at revolute joints with clearance. R.S. Haines. *Vol. 22, No. 3, June 1980, 129*

Journal bearings
The characteristics of a statically loaded journal-bearing with superlaminar flow. R.E. Hinton, J.B. Roberts. *Vol. 22, No. 2, April 1980, 79*

Laminar flow
Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

The characteristics of a statically loaded journal-bearing with superlaminar flow. R.E. Hinton, J.B. Roberts. *Vol. 22, No. 2, April 1980, 79*

Linkages
A theory of contact loss at revolute joints with clearance. R.S. Haines. *Vol. 22, No. 3, June 1980, 129*

Loads
Elastic, finite deflection and strain rate effects in a mode approximation technique for plastic deformation of pulse loaded structures. P.S. Symonds. *Vol. 22, No. 4, August 1980, 189*

Lubrication
A rapidly converging theoretical solution of the electrohydrodynamic problem for rectangular rubber seals. L.E.C. Ruskell. *Vol. 22, No. 1, February 1980, 9*

The effect of combined coning and waviness on the separating force in mechanical face seals. I. Etsion. *Vol. 22, No. 2, April 1980, 59*

Normal approach of a cylinder towards an elastic layer. C.J. Cudworth, J.F. Mykura. *Vol. 22, No. 2, April 1980, 65*

An experimental study of hydrodynamic film-rupture in a steadily-loaded, non-conformal contact. D. Dowson, E.H. Smith, C.M. Taylor. *Vol. 22, No. 2, April 1980, 71*

The elastohydrodynamic lubrication of heavily loaded contact points. C.J. Hooke. *Vol. 22, No. 4, August 1980, 183*

Machining
An investigation of the transient effects during variable speed cutting. J.S. Sexton, B.J. Stone. *Vol. 22, No. 3, June 1980, 107*

Manometers
Measurement of sodium vapour pressure using sodium as manometer fluid. P.J. Erens, D.G. Kröger. *Vol. 22, No. 3, June 1980, 157*

Metal sheets
The angle of fold and the plastic work done in the folding of developable flat sheets of metal. W. Johnson, T.X. Yu. *Vol. 22, No. 5, October 1980, 233*

Metals
An investigation of the transient effects during variable speed cutting. J.S. Sexton, B.J. Stone. *Vol. 22, No. 3, June 1980, 107*

Off-shore structures
Dynamic stability of off-shore structures. J. Thomas, B.A.H. Abbas. *Vol. 22, No. 1, February 1980, 37*

Oscillation
The measurement of the radial stiffness of rolling element bearings under oscillating conditions. T.L.H. Walford, B.J. Stone. *Vol. 22, No. 4, August 1980, 175*

Particle flow
Interaction and wall corrections for the slow motion of two fluid or solid particles parallel to the axis of a circular cylinder through a viscous fluid. T. Greenstein. *Vol. 22, No. 5, October 1980, 243*

Pendulums
Dynamics of gyropendulum for small angles. V. Krishnan. *Vol. 22, No. 5, October 1980, 265*

Pipelines
Wave propagation in mixtures of solids and liquids. A.R.D. Thorley. *Vol. 22, No. 1, February 1980, 17*

Pipes (tubes)
Stress and displacement in internally pressurized thin prismatic ducts. M. Holland. *Vol. 22, No. 1, February 1980, 35*

Turbulent heat transfer in a revolving square-sectioned tube. W.D. Morris, F.M. Dias. *Vol. 22, No. 2, April 1980, 95*

Research notes: the turbulent flow of two-phase mixtures in horizontal pipes at low Reynolds number. D. Chisholm. *Vol. 22, No. 4, August 1980, 199*

Planar mechanisms
Research notes: Optimization of a follower train for a two degree of freedom cam. C.K.C. Jaini, A.C. Rao. *Vol. 22, No. 5, October 1980, 261*

Communication - the effect of clearances on the dynamic analysis of planar mechanisms. *Vol. 22, No. 5, October 1980, 267*

Plastic properties
Elastic, finite deflection and strain rate effects in a mode approximation technique for plastic deformation of pulse loaded structures. P.S. Symonds. *Vol. 22, No. 4, August 1980, 189*

The angle of fold and the plastic work done in the folding of developable flat sheets of metal. W. Johnson, T.X. Yu. *Vol. 22, No. 5, October 1980, 233*

Plates (structural members)
Thermal bending of thick rectangular plates of bimodulus composite material. J.N. Reddy, C.W. Bert, Y.S. Hsu, V.S. Reddy. *Vol. 22, No. 6, December 1980, 297*

Pressure
Pressure distribution between closely contacting surfaces. A. Mostofi, R. Gohar. *Vol. 22, No. 5, October 1980, 251*

Pressure vessels
Effects of axial assembly stress in compound cylinders. B.N. Cole, B. Parsons. *Vol. 22, No. 1, February 1980, 21*

Reliability
Wear out failure patterns and their interpretation. A.D.S. Carter. *Vol. 22, No. 3, June 1980, 143*

Roller bearings
The measurement of the radial stiffness of rolling element bearings under oscillating conditions. T.L.H. Walford, B.J. Stone. *Vol. 22, No. 4, August 1980, 175*

Rotation
Turbulent heat transfer in a revolving square-sectioned tube. W.D. Morris, F.M. Dias. *Vol. 22, No. 2, April 1980, 95*

Dynamic total head loss characteristic for an axial compressor rotor. P.B. Sharma, J.W. Railly. *Vol. 22, No. 6, December 1980, 269*

Research note: Measurement with rotary gratings. K.J. Daly, J.D. Smith. *Vol. 22, No. 6, December 1980, 315*

Rubber
A rapidly converging theoretical solution of the electrohydrodynamic problem for rectangular rubber seals. L.E.C. Ruskell. *Vol. 22, No. 1, February 1980, 9*

Seals (stoppers)
A rapidly converging theoretical solution of the electrohydrodynamic problem for rectangular rubber seals. L.E.C. Ruskell. *Vol. 22, No. 1, February 1980, 9*

The effect of combined coning and waviness on the separating force in mechanical face seals. I. Etsion. *Vol. 22, No. 2, April 1980, 59*

Shear properties
Prediction of turbulent cavity flow driven by buoyancy and shear. F.J.K. Ideriah. *Vol. 22, No. 6, December 1980, 287*

Slurries
Wave propagation in mixtures of solids and liquids. A.R.D. Thorley. *Vol. 22, No. 1, February 1980, 17*

Sodium
Measurement of sodium vapour pressure using sodium as manometer fluid. P.J. Erens, D.G. Kröger. *Vol. 22, No. 3, June 1980, 157*

Squeeze films
The effect of combined coning and waviness on the separating force in mechanical face seals. I. Etsion. *Vol. 22, No. 2, April 1980, 59*

Normal approach of a cylinder towards an elastic layer. C.J. Cudworth, J.F. Mykura. *Vol. 22, No. 2, April 1980, 65*

An experimental study of hydrodynamic film-rupture in a steadily-loaded, non-conformal contact. D. Dowson, E.H. Smith, C.M. Taylor. *Vol. 22, No. 2, April 1980, 71*

Squeeze films contd.
The elastohydrodynamic lubrication of heavily loaded contact points. C.J. Hooke. *Vol. 22, No. 4, August 1980, 183*

Stability
Dynamic stability of off-shore structures. J. Thomas, B.A.H. Abbas. *Vol. 22, No. 1, February 1980, 37*

Stresses
Effects of axial assembly stress in compound cylinders. B.N. Cole, B. Parsons. *Vol. 22, No. 1, February 1980, 21*

Stress and displacement in internally pressurized thin prismatic ducts. M. Holland. *Vol. 22, No. 1, February 1980, 35*

Surface properties
Effects of cathode-mandrel surface irregularities on the mechanical properties and structure of electroformed iron foil. W.A. Crichton, J.A. McGeough, J.R. Thomson. *Vol. 22, No. 2, April 1980, 49*

Thermoelasticity
Some implications of Dundurs' theorem for thermoelastic contact and crack problems. J.R. Barber. *Vol. 22, No. 5, October 1980, 229*

Thrust bearings
Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

Dynamic characteristics on aerostatic thrust bearings with porous inserts. B.C. Majumdar. *Vol. 22, No. 2, April 1980, 55*

Time domain
Time-domain finite-element solutions for single-degree-of-freedom systems with time-dependent parameters. J.E.T. Penny, G.F. Howard. *Vol. 22, No. 1, February 1980,*

Transmissions
Research note: Measurement with rotary gratings. K.J. Daly, J.D. Smith. *Vol. 22, No. 6, December 1980, 315*

Turbomachinery
Choking effects in the blade rows of turbomachines. J.H. Horlock. *Vol. 22, No. 4, August 1980, 161*

Turbulence
Thermal and inertia effects in turbulent-flow thrust bearings. Z.S. Safar. *Vol. 22, No. 1, February 1980, 45*

Turbulent heat transfer in a revolving square-sectioned tube. W.D. Morris, F.M. Dias. *Vol. 22, No. 2, April 1980, 95*

Measurements and calculations of the isothermal flow in axisymmetric models of combustor geometries. A. Green, J.A. Whitelaw. *Vol. 22, No. 3, June 1980, 119*

Research notes: the turbulent flow of two-phase mixtures in horizontal pipes at low Reynolds number. D. Chisholm. *Vol. 22, No. 4, August 1980, 199*

Turbulent flow over a plane normal wall. S.M. Fraser, M.H. Siddig. *Vol. 22, No. 4, August 1980, 207*

Prediction of turbulent cavity flow driven by buoyancy and shear. F.J.K. Ideriah. *Vol. 22, No. 6, December 1980, 287*

Vapour pressure
Measurement of sodium vapour pressure using sodium as manometer fluid. P.J. Erens, D.G. Kröger. *Vol. 22, No. 3, June 1980, 157*

Vibration
The measurement of the radial stiffness of rolling element bearings under oscillating conditions. T.L.H. Walford, B.J. Stone. *Vol. 22, No. 4, August 1980, 175*

Viscous flow
The steady performance of externally pressurized porous rectangular pad gas bearings incorporating viscous and inertia dominated flow. A.G. Naaum, G.K. Lewis. *Vol. 22, No. 4, August 1980, 203*

Interaction and wall corrections for the slow motion of two fluid or solid particles parallel to the axis of a circular cylinder through a viscous fluid. T. Greenstein. *Vol. 22, No. 5, October 1980, 243*

Vortices
Generation of streamwise vorticity in an asymmetric swirling flow. E.M. Greitzer, W.R. Hawthorne. *Vol. 22, No. 1, February 1980, 41*

C 20